## RECEIVED CENTRAL FAX CENTER

JUN 0 7 2007

## Amendments to the Claims

1. (Currently amended) An epoxy compound of formula (1):


$$(CH_2)_n$$
  $(CH_2)_n$   $(CH_2)_n$ 

wherein n represents an integer of 1 to-94,

the -(CH<sub>2</sub>)<sub>n</sub>- group may have inserted -O-; or -N(R<sup>2</sup>); between the methylene groups, wherein R<sup>2</sup> represents a hydrogen atom-or a G<sub>1-18</sub> alkyl-group;


Z represents any one of divalent groups of the following general formulas (Z-1) to (Z-6)(Z-3):

wherein R<sup>1</sup>, R<sup>2</sup>, R<sup>3</sup>, R<sup>4</sup>, R<sup>5</sup>, R<sup>6</sup>, R<sup>7</sup>, R<sup>8</sup>, R<sup>9</sup> and R<sup>10</sup>. R<sup>5</sup> and R<sup>6</sup> are the same or different and represent independently a hydrogen atom, a C<sub>1-18</sub> alkyl group, an amino group substituted with one or two C<sub>1-18</sub> alkyl groups, or a cyclic amino group of the following formula:




wherein in represents an integer of 4 to 12, and one methylene group or two or more not neighboring methylene groups of the  $C_{I-I*}$  alkyl group or groups as defined in connection with  $R^4$ ,  $R^3$ ,  $R^3$ ,  $R^4$ ,  $R^5$ ,  $R^6$ ,  $R^7$ ,  $R^8$ ,  $R^9$ , or  $R^{10}$ , and of the cyclic amino-group, may be replaced with O, NII,  $N(R^n)$  or S, wherein  $R^n$  represents a  $C_{I-I*}$  alkyl group, atom or a  $C_{I-I*}$  alkyl group.

Ar<sup>1</sup> and Ar<sup>2</sup> are the same or different and represent any one of groups is a group of the following formulas (A-1) to (A-3) formula (A-1), and  $\Delta r^2$  is a group of the following formula (A-1) or (A-3):



wherein A represents a single bond and or any one group selected from the group consisting of



wherein  $R^{12}$ ,  $R^{13}$ ,  $R^{14}$ ,  $R^{15}$ ,  $R^{16}$ ,  $R^{17}$ ,  $R^{18}$ ,  $R^{19}$ ,  $R^{20}$ ,  $R^{24}$  and  $R^{22}$   $R^{20}$  and  $R^{21}$  are the same or different and represent independently a hydrogen atom, a halogen atom, a  $C_{1-18}$ -alkyl- $C_{1-4}$  alkoxy group, a  $C_{1-8}$  alkoxy group, a cyano group, or a nitro group,

Y<sup>1</sup> and Y<sup>2</sup> are the same or different and each represent a single bond, -O- ... S-, or -Si( $\mathbb{R}^{23}$ )( $\mathbb{R}^{24}$ ). wherein  $\mathbb{R}^{23}$  and  $\mathbb{R}^{24}$  are the same or different and represent independently a-lower alkyl group or a phonyl group.

2. (Original) The epoxy compound according to claim 1, wherein Ar<sup>1</sup> and Ar<sup>2</sup> in formula (1) are the same or different and represent independently a group of the following formula:

wherein R<sup>25</sup>, R<sup>26</sup>, R<sup>27</sup> and R<sup>28</sup> are the same or different and represent independently a hydrogen atom or a methyl group.

3. (Original) The epoxy compound according to claim 1, wherein Ar<sup>1</sup> and Ar<sup>2</sup> in formula (1) represent the same group of the following formula:

wherein  $R^{25}$ ,  $R^{26}$ ,  $R^{27}$  and  $R^{28}$  are the same or different and represent independently a hydrogen atom or a methyl group.

- 4. (Previously presented) An epoxy composition, which comprises the epoxy compound as defined in claim 1 and a curing agent.
- 5. (Original) The epoxy composition according to claim 4, wherein the curing agent is an amine-type curing agent or a phenol type curing agent.

- 6. (Previously presented) A cured epoxy resin product obtained by curing the epoxy composition as defined in claim 4.
- 7. (Previously presented) A prepreg obtained by impregnating or coating a substrate with the epoxy composition of claim 4 and then semi-curing the epoxy composition.
- 8. (Previously presented) An epoxy composition, which comprises the epoxy compound as defined in claim 2 and a curing agent.
- 9. (Previously presented) An epoxy composition, which comprises the epoxy compound as defined in claim 3 and a curing agent.
- 10. (Previously presented) A cured epoxy resin product obtained by curing the epoxy composition as defined in claim 5.
- 11. (Previously presented) A prepreg obtained by impregnating or coating a substrate with the epoxy composition of claim 5 and then semi-curing the epoxy composition.